

FAST, FREE SHIPPING • 30-DAY SATISFACTION GUARANTEE • 6-MONTH DEFECT WARRANTY • FREE EXCHANGES

MEMORY TECHKNIT

FL5RM00665253 (Women's)
Women's Sizes: M 6-10,11

MEMORY TECHKNIT

FL5RM00665097 (Women's)
Women's Sizes: M 6-10,11

SUBLITE MAX

SRB032 (Women's)
Women's Sizes: M 6-10,11; W 6-10,11

HARMAN WORK

SRB951 (Women's)
Women's Sizes: M 5-10.5

DAYSTART

SRB065 (Women's)
Women's Sizes: M 5-10,11

VENTURA

SRM168 (Women's)
Women's Sizes: M 5-10,11

WAKE

SRM422 (Women's)
Women's Sizes: M 5-10.5; EW 6-10.5

AIKEN

SRM654 (Women's)
Women's Sizes: M 5-10,11

RADIUS

STMA5YU3 (Women's)
Women's Sizes: M 5.5-10,11; W 5.5-10,11

RADIUS

STMA5YUQ (Women's)
Women's Sizes: M 5.5-10,11; W 5.5-10,11

EMMA

SSK108160NVY (Women's)
Women's Sizes: M 5-10,11

EMMA

SSK108160PNK (Women's)
Women's Sizes: M 5-10,11

EMMA

SSK108160LTBL (Women's)
Women's Sizes: M 5-10,11

EMMA

SSK108160GRY (Women's)
Women's Sizes: M 5-10,11

SERENA

SSK8435NVY (Women's)
Women's Sizes: M 5-10,11

CHRISTINA

SSK108096NVAQ (Women's)
Women's Sizes: M 6-10,11



SAFETY PROPERTIES



Steel Toe



Composite Toe



Alloy Toe



ASTM Electrical Hazard Rated



ASTM Static Dissipative Rated



MaxTRAX® Outsole Technology



Waterproof



Side-Zipper



Insulated



APMA Accepted



Made/Assembled in the USA



Cold Storage Outsole Technology



Slip Resistant



DryKick® Splash Protection



Security Friendly Construction

WARNING: This product is only part of an overall safety program. No shoe can protect you from injury in all situations. All safety shoes are used in environments where hazards exist beyond the scope of protection a safety shoe can offer. SLIP RESISTANT SHOES ARE NOT "Slip Proof". Environmental factors including but not limited to oils, water, dust, flour, ice, objects on the floor, or other hazards can reduce the effectiveness of slip resistant footwear. Also, cold environments including freezers and coolers will significantly limit the effectiveness of slip resistant footwear. It is possible for you to slip, fall, and/or be injured while wearing/using personal protective equipment including slip resistant shoes or ASTM rated safety shoes. You should always take precaution and consider the environmental hazards around you when wearing your protective footwear. All products are sold subject only to the warranties given by the manufacturer. If the product is marked as meeting an ANSI or ASTM standard, then the product carries a manufacturer's warranty. Saf-Gard Safety Shoe Company/SR Max Slip Resistant Shoes provides no express warranty and expressly disclaims all implied warranties including any implied warranty of merchantability or fitness for any particular purpose.


FAST, FREE SHIPPING • 30-DAY SATISFACTION GUARANTEE • 6-MONTH DEFECT WARRANTY • FREE EXCHANGES



CHRISTINA



SSK108096GYAQ (Women's)
Women's Sizes: M 5-10,11



STACEY



SSK405NVAQ (Women's)
Women's Sizes: M 5-10,11



STACEY



SSK405BKW (Women's)
Women's Sizes: M 6-10,11



AMRELI



SK108051BBK (Women's)
Women's Sizes: M 5-11 (no half sizes)



AMRELI



SK108051PKW (Women's)
Women's Sizes: M 5-11 (no half sizes)



AMRELI



SK108051NVW (Women's)
Women's Sizes: M 5-11 (no half sizes)



CARRBORO



SK77260GRY (Women's)
Women's Sizes: M 5.5-10,11;
W 5.5-10,11



CARRBORO



SK77260NVY (Women's)
Women's Sizes: M 5-10,11; W 5-10,11



ADDISON ARCH FIT



SSK108173BLK (Women's)
Women's Sizes: M 5-10,11



CHERYL



SSK108215BLK (Women's)
Women's Sizes: M 5-10,11



JENNY



SSK8347BLK (Women's)
Women's Sizes: M 6-10,11



ELLA



SSK8175BLK (Women's)
Women's Sizes: M 5.5-10,11



SERENA



SSK8435BLK (Women's)
Women's Sizes: M 5-10,11



ELITE ARCH FIT



SK108016BLK (Women's)
Women's Sizes: M 5-10,11



ELLOREE



SK108008BLK (Women's)
Women's Sizes: M 5-10,11



SARA



SSK403BLK (Women's)
Women's Sizes: M 5-10,11



SAFETY PROPERTIES



Steel Toe



Composite Toe



Alloy Toe



ASTM Electrical Hazard Rated



ASTM Static Dissipative Rated



MaxTRAX® Outsole Technology



Waterproof



Side-Zipper



Insulated



APMA Accepted



Made/Assembled in the USA



Cold Storage Outsole Technology



Slip Resistant



DryKick® Splash Protection



Security Friendly Construction

WARNING: This product is only part of an overall safety program. No shoe can protect you from injury in all situations. All safety shoes are used in environments where hazards exist beyond the scope of protection a safety shoe can offer. SLIP RESISTANT SHOES ARE NOT "Slip Proof". Environmental factors including but not limited to oils, water, dust, flour, ice, objects on the floor, or other hazards can reduce the effectiveness of slip resistant footwear. Also, cold environments including freezers and coolers will significantly limit the effectiveness of slip resistant footwear. It is possible for you to slip, fall, and/or be injured while wearing/using personal protective equipment including slip resistant shoes or ASTM rated safety shoes. You should always take precaution and consider the environmental hazards around you when wearing your protective footwear. All products are sold subject only to the warranties given by the manufacturer. If the product is marked as meeting an ANSI or ASTM standard, then the product carries a manufacturer's warranty. Saf-Gard Safety Shoe Company/SR Max Slip Resistant Shoes provides no express warranty and expressly disclaims all implied warranties including any implied warranty of merchantability or fitness for any particular purpose.


FAST, FREE SHIPPING • 30-DAY SATISFACTION GUARANTEE • 6-MONTH DEFECT WARRANTY • FREE EXCHANGES



RILEY



SSK108193BLK (Women's)
Women's Sizes: M 6-10,11



GWYNEDD



SK108127BLK (Women's)
Women's Sizes: M 6-10



SUMMITS SR - ENSLEE



SK108144BBK (Women's)
Women's Sizes: M 6-10,11



CHILL



SVM30808F (Women's)
Women's Sizes: W 6-10,11



DAYSTART



SRB066 (Women's)
Women's Sizes: M 5-10,11



DAYSTART



SRB064 (Women's)
Women's Sizes: M 5-10,11



SUBLITE MAX



SRB033 (Women's)
Women's Sizes: M 6-10,11; W 6-10,11



HARMAN WORK



SRB952 (Women's)
Women's Sizes: M 5-10.5



RADIUS



STMA42CY (Women's)
Women's Sizes: M 5.5-10,11; W 6-10,11



AIKEN



SRM655 (Women's)
Women's Sizes: M 5-10,11; EW 5-10,11



SOUTHPORT



SRM163 (Women's)
Women's Sizes: M 5-10,11



VENTURA



SRM167 (Women's)
Women's Sizes: M 5-10,11



L.A.




SRM165 (Women's)
Women's Sizes: M 5-10,11



CHARLOTTE




SRM140 (Women's)
Women's Sizes: M 3-10,11; EW 6-10,11



ASHLAND II



SRM671 (Women's)
Men's Sizes: M 5-10,11



YORK



SRM166 (Women's)
Women's Sizes: M 5-10,11



SAFETY PROPERTIES



Steel Toe



Composite Toe



Alloy Toe



ASTM Electrical Hazard Rated



ASTM Static Dissipative Rated



MaxTRAX® Outsole Technology



Waterproof



Side-Zipper



Insulated



APMA Accepted



Made/Assembled in the USA



Cold Storage Outsole Technology



Slip Resistant



DryKick® Splash Protection



Security Friendly Construction

WARNING: This product is only part of an overall safety program. No shoe can protect you from injury in all situations. All safety shoes are used in environments where hazards exist beyond the scope of protection a safety shoe can offer. SLIP RESISTANT SHOES ARE NOT "Slip Proof". Environmental factors including but not limited to oils, water, dust, flour, ice, objects on the floor, or other hazards can reduce the effectiveness of slip resistant footwear. Also, cold environments including freezers and coolers will significantly limit the effectiveness of slip resistant footwear. It is possible for you to slip, fall, and/or be injured while wearing/using personal protective equipment including slip resistant shoes or ASTM rated safety shoes. You should always take precaution and consider the environmental hazards around you when wearing your protective footwear. All products are sold subject only to the warranties given by the manufacturer. If the product is marked as meeting an ANSI or ASTM standard, then the product carries a manufacturer's warranty. Saf-Gard Safety Shoe Company/SR Max Slip Resistant Shoes provides no express warranty and expressly disclaims all implied warranties including any implied warranty of merchantability or fitness for any particular purpose.

FAST, FREE SHIPPING • 30-DAY SATISFACTION GUARANTEE • 6-MONTH DEFECT WARRANTY • FREE EXCHANGES

SR MAX®

MARSHALL II



SRM670 (Women's)
Men's Sizes: M 5-10,11

SR MAX®

SARATOGA



SRM652 (Women's)
Women's Sizes: M 5-10,11; EW 5-10,11

SR MAX®

AYDEN



SRM650 (Women's)
Women's Sizes: M 5-10,11; EW 6-10,11

SR MAX®

ATKINSON



SRM651 (Women's)
Women's Sizes: M 5-10,11

SR MAX®

LEXINGTON



SRM615 (Women's)
Women's Sizes: M 5-10,11; EW 5-10,11

SR MAX®

GENEVA



SRM131 (Women's)
Women's Sizes: M 6-10,11

SR MAX®

RENO



SRM560 (Women's)
Women's Sizes: M 6-10,11

SR MAX®

GALENA



SRM565 (Women's)
Women's Sizes: M 6-10,11

SR MAX®

WAKE



SRM420 (Women's)
Women's Sizes: M 5-10,5; EW 6-10,5

SR MAX®

MARSHALL II



SRM670 (Women's)
Women's Sizes: M 5-10,11

SR MAX®

ASHLAND II



SRM671 (Women's)
Women's Sizes: M 5-10,11

SR MAX®

GULFPORT



SRM7900 (Unisex)
Unisex Sizes: EW 4-15 (no half sizes)

SR MAX®

MAXTON II



SRM625 (Women's)
Women's Sizes: M 5.5-10,11

new balance

626 ATHLETIC



NBWID626K2 (Women's)
Women's Sizes: B 5-10,11,12;
D 5-10,11,12; EE 6-10,11

crocs® work shoes

NERIA PRO II LITERIDE



CR207231-001 (Women's)
Women's Sizes: EW 5-11 (no half sizes)

crocs® work shoes

NERIA



CRNERIABLK (Women's)
Women's Sizes: W 5-11 (no half sizes)



SAFETY PROPERTIES



Steel Toe



Composite Toe



Alloy Toe



ASTM Electrical Hazard Rated



ASTM Static Dissipative Rated



MaxTRAX® Outsole Technology



Waterproof



Side-Zipper



Insulated



APMA Accepted



Made/Assembled in the USA



Cold Storage Outsole Technology



Slip Resistant



DryKick® Splash Protection



Security Friendly Construction

WARNING: This product is only part of an overall safety program. No shoe can protect you from injury in all situations. All safety shoes are used in environments where hazards exist beyond the scope of protection a safety shoe can offer. SLIP RESISTANT SHOES ARE NOT "Slip Proof". Environmental factors including but not limited to oils, water, dust, flour, ice, objects on the floor, or other hazards can reduce the effectiveness of slip resistant footwear. Also, cold environments including freezers and coolers will significantly limit the effectiveness of slip resistant footwear. It is possible for you to slip, fall, and/or be injured while wearing/using personal protective equipment including slip resistant shoes or ASTM rated safety shoes. You should always take precaution and consider the environmental hazards around you when wearing your protective footwear. All products are sold subject only to the warranties given by the manufacturer. If the product is marked as meeting an ANSI or ASTM standard, then the product carries a manufacturer's warranty. Saf-Gard Safety Shoe Company/SR Max Slip Resistant Shoes provides no express warranty and expressly disclaims all implied warranties including any implied warranty of merchantability or fitness for any particular purpose.